

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more v](#)
[Sign in](#)

transmitting profile associated file a missing file with global identifiers

[Search](#)[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 7,900 for transmitting profile associated file a missing file with global identifiers. (0.27 seconds)

[IBM Globalization - Terminology - terms G and H](#)

The log data might be missing either because it was not sent or because an I/O does not use SNA transmission protocols and whose location name and identifier are See also file-placement rule, global instance identifier: A globally group, and user profiles associated with the group and its subgroups. ...

www-01.ibm.com/software/globalization/terminology/gh.jsp - 205k - [Cached](#) - [Similar pages](#)

[TRANSMIT](#)

A global test for association on H-1 df, where H is the number of haplotypes for ... when parents are missing, it may reduce the number of possible parental ... id person's identifier within family (alphanumeric) father id of father (who Finally, transmit.doc contains this documentation as a plain text file. ...

www-gene.cimr.cam.ac.uk/clayton/software/transmit.bt - 17k - [Cached](#) - [Similar pages](#)

[Transmit \(version 2.5\)](#)

A global test for association on H-1 df, where H is the number of ... when parents are missing, it may reduce the number of possible parental ... The data input file should contain, for each person, the following blank-delimited fields: ... id person's identifier within family (alphanumeric) father id of father ...

portal.ilbio.org/Registered/Help/transmit/ - 17k - [Cached](#) - [Similar pages](#)

[GPSecurityDomain - Reference Documentation](#)

String, profile, Name of file containing Global Platform Application profile: ... If the argument is missing, then 9000 is the only acceptable status word. ... file. ByteString, applicationAID, Application identifier for instance to be created. Transmit a Command-APDU to the ICC and receive the Response-APDU. ...

www.openscdp.org/scsh3/gpsecuritydomain.html - 27k - [Cached](#) - [Similar pages](#)

[ArgoRT Programmer Notes](#)

The Argos transmission is received as ASCII, with the Argo component being ... Instead, reports are written to the file ID in global ARGO_RPT_FID. ... for all files required to be sent, complains if any are missing from netcdf/, ... If it is a Profile file, it is then deleted from netcdf/ or saved to a backup area ...

www.marine.csiro.au/~gronell/ArgoRT/doc/prog_notes.html - 14k - [Cached](#) - [Similar pages](#)

[\[PDF\] Work Programme of the Czech Presidency](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the missing segments of the existing transmission and transport infrastructure in support for new technologies, energy savings, the debate about the opportunities and risks associated Another profile area will be the support of cross- the Czech Presidency within the Global Europe trade strategy. ...

www.eu2009.cz/scripts/file.php?id=6226 - [Similar pages](#)

[Mars Global Surveyor Archive Generation, Validation and Transfer Plan](#)

Table 5 lists the key elements associated with archive collections and Table 6 ... Problems due to obvious errors in science, missing files, and inadequate MGS I/F Description and Acronym Data Data Number of Size of Data set ID Type* ... Profiles (RS-TP) SPAE070 Occultation Summary TOV N/A 4 0.6 14.0 File ...

marsprogram.jpl.nasa.gov/mgs/mess/camera/images/mgsagvtp.html - 50k -

[Cached](#) - [Similar pages](#)

[Dynamically configuring a server computer - US Patent 7287067 ...](#)

The global configuration file contains configuration settings that may or may not ... as a part of the request, such as a Uniform Resource Identifier ("URI"). Internet Explorer, may be

utilized to transmit a request for a Web page to one COM" is associated with the block "USER_DOMAIN" 90E. The "MISSING" ...
www.patentstorm.us/patents/7287067/description.html - Similar pages

VPN Client Administrator Guide, Release 3.6 - Preconfiguring the ...

The name of the global profile file is vpnclient.ini. ... Missing group warning message. • Location of the Entrust.ini file The proxy setting sometimes has a port associated with it. Allows secure transmission between the VPN Client and a secure gateway through a router serving as a firewall, ...
www.cisco.com/en/US/products/sw/securswips2308/products_administration_guide_chapter03186a00900bd93d.html - 104k - Cached - Similar pages

3 A

access profile: A set of configuration data for a network access server (NAS) to ... receipt of a transmission as part of a communications protocol. ... administrative template: A file associated with a Group Policy object (GPO) ... administrators: An alias object with the security identifier (SID) S-1-5-32-544. ...
[msdn.microsoft.com/en-us/library/cc232149\(Prot.13\).aspx](http://msdn.microsoft.com/en-us/library/cc232149(Prot.13).aspx) - 41k - Cached - Similar pages

1 2 3 4 5 6 7 8 9 10 Next

transmitting profile associated file a missing file with global identifiers

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)